# PROFERTIL PROFERENCE PROFERENCE PROFESSION P

The magazine about male desire for children

- From the desire for a child to the desired child Suggestions and tricks towards family bliss
- Speed for Sperm
  Sperm Work-Out in only three months
- Sperm cells and quality
  Facts about male fertility

An unfulfilled desire for children should not be left in the hands of fate

### From desire for children to the desired child

What turns tired sperm cells into fit ones?

Male infertility has many causes. Genetics, stress, changing lifestyles, but also dietary habits result in dramatic reductions in sperm cell production and quality in industrialized countries.



The desire for children is a topic of extreme social relevance. Longing for a child is deeply rooted in human beings. The largest part of human beings has a great desire for a family, for a family life and therefore for children. If the desire for a child is not met the wish turns into despair as time goes by.

> My experience shows: the more men are able to contribute actively to the achievement of the common objective - conception of a child - the better it is. Thanks to a medical innovation men now have the opportunity to specifically improve the quality of their sperm. PROfertil® delivers on the one hand excellent results from the point of view of medical studies, since all other attempts to improve sperm quality have clearly failed so far. From my point of view this therapy is on the other hand an import opportunity for men to fulfil their desire for children and therefore to support their partners also from a psychological viewpoint even more than it has been the case so far.

University Professor **Dr Heinz Strohmer** Fertility Centre Hospital Goldenes Kreuz, Vienna tion is not the fate of a minority. For alis as easy as logical. Since sperm promost 6% of all men remain their desire duction disorders may have many for children unfulfilled even after one causes they must all be fought against year of unprotected sexual activity.

yet for 300,000 couples in Austria all sum of its components. attempts to have a baby are in vain. This philosophy is also adopted by the cases to inadequate male fertility! In PROfertil®. fact, a long process takes place in the testicles while sperms are produced. It takes two to three months for a sperm cell to fully develop. This is a long period of time during which disruptions may have a fatal effect.

#### **Speed for Sperm**

As a response to these developments PROfertil® was developed in Vienna. Folic acid and Zinc are deemed to have a positive influence on sperm quality. Both are contained in the unique combination of eight active substances that make up the product. But also L-Carnitine, a substance that is self-produced by the body and improves sperm cell mobility, along with the amino acid L-Arginine and the coenzyme Q10, Vitamin E and the radical scavengers Glutathione and Selenium increase fertilisation chances.

However, inadequate sperm produc- The therapeutic idea behind PROfertil® simultaneously. Especially in a couple This may seem a small percentage, the whole is always more than just a

But against popular belief this problem product that contributes towards a fimay be attributed in surprising many nally fulfilled and happy relationship -

# Spermiogram test

#### What does the semen analysis tell?

Several medical examinations have to be carried out at the beginning of an infertility treatment. In women ultrasound examinations, blood tests and classification of specific hormones are carried out. The range of possible examinations is slightly larger in women than in men: For them the search for the causes of infertility is basically limited to the spermiogram. There the quality of sperm cells and the chances of a successful fertilisation process is analysed under the microscope. Experts mainly consider the number, motility and appearance of sperm cells. The result is recorded in the so-called spermiogram. The World Health Organisation provides the definition shown below.

Regrettably, in the event of male fer-

tility disorders the spermiogram often detects several deviations. In many cases there is not only the

number of sperm cells reduced, but also their motility is disrupted or cells present too many morphological vari-

#### Normal sperm quality

2-5 ml Ejaculate volume: Number of sperm cells: at least 20 million/ml Motility: higher than 50%

higher than 25% Progressive motility: Morphologically normal: higher than 30%



Various quality standards for sperm cells

Did you know that.....

# facts about fertility

#### Unmanly? Not at all!

Sperm quality disorders have got nothing to do with impotence or lover's skills. Let us be clear: A man

that has an ejaculation is not automatically fertile. On the other hand. an impotent man may be able to father a child.



#### It is the men's fault

If no pregnancy arises in most of the cases it is the man's fault: In Austria infertility causes are related to women in only 28% of cases and to men in 60% of cases or to both partners together (12%).

#### Seek expert's opinion

Sperm cell self-tests are often misleading and do not provide any conclusive information on eiaculate quality. All men who have a desire for children should approach a urologist. The sooner information about ejaculate quality is acquired the sooner steps can be taken with the help of modern therapeutic possibilities.

# Millions of sperm cells in three months The happiness of your relationship ... being clinically tested

PROfertil® acts as a fitness centre for your sperm cells. Thanks to a combination of eight separate substances the product addresses and eliminates all those issues that disrupt sperm cell quality.

Sometimes a minor change in your liv-daily for three months. Remarkable re-33.13% to 49.27% (+48.7%). Far abandoned. Because a remarkable was recorded. study highlights the effectiveness of a The sperm cell density per millilitre. A normal spermiogram was observed regular intake of PROfertil®.

ing habits may already narrow the gap sults were recorded already after more important than the scientific dabetween you and your desire for chil-these first three months: not only did ta are, is the meaning of all this for men dren. But however, should no fertilisathe ejaculate volume increase by 24% with an unfulfilled desire for children. tion take place after these changes, (from 2.91 to 3.61 millilitre), but also After three-month intake 21 normal rethe dream of family bliss must not be an 80% sperm cell density increase sults were observed by Dr. Imhof.

was 23.73 millions and sperm cells in one study participant out of four.

In other words:

In this study University Professor Dr were motile and fertile. Furthermore, 14 males with normal spermio-gram

with an unfulfilled child wish for many 19.27% (+115.3%) and sperm cell The possibility to set up a family is years took 2 capsules of PROfertil® motility in general increased from therefore enhanced by PROfertil®.

Martin Imhof tested the effectiveness the number of motile sperm cells in- have become fathers after natural of the fertility treatment: 82 males creased on average from 8.95% up to conception.

The road towards the desired child:

The road towards PROfertil®:

#### **Lenus Pharma GesmbH**

Patent no.: 503.219

Seeböckgasse 59, 1160 Vienna/Austria Phone: +43 1 405 14 19 Fax: +43 1 405 14 19-20 E-Mail: info@profertil.eu www.profertil.eu

"Profertil Profile, the mag- PROfertil® is 3 months in order to opazine about the male desire timise every step of the spermatogefor children" is a tool suitable nesis process. PROfertil® can and for doctors and patients alike should be taken until the beginning of providing information about the a pregnancy. medical basics of male fertility, **PROfertil®** comes in packages fertility disorders and improve- containing ment possibilities.

PROfertil® is available without prescription.

No side-effects were observed in PROfertil® clinical trials. The minimum intake period for

• **60 capsules** (1-month's serving)

• 180 capsules (3-month's serving) as well as

 dissolvable powder/granulate (1-month's and 3-month's serving).

#### One disorder, many causes

Sperm cells are sensitive to stress and similar factors

Many different factors are acting together in order to have a normal and healthy spermatogenesis. Deficiencies detected in the spermiogram can therefore be related to several causes. The main causes are:

#### Medical causes

Congenital diseases, pelvis surgery, but also hormone disorders, mumps,

Dietary habits may also have an conception.

as well as inflammations on the outer area of the penis or varicose veins in the testicles area.

#### Lifestyle related causes

Continuous stress, deficiency symptoms due to eating habits, smoking, intake of alcohol and drugs may limit fertility.

#### Other causes

Environment-based hormone disorders, pollution, changes in eating habits and food components, but also age plays a role (after the age of 40 fertility starts decreasing at the latest).

Therefore the spermiogram should not be postponed for too long. Waiting does not increase fertility.

Did vou know that

# facts about fertility

#### Testicles: a power-unit

The spermatogenesis is controlled by the hormone system and takes place in the seminal ducts. The whole process lasts about 72 days. Around 1,000 sperm cells are produced every second, about 3-4 millions every hour. On average between 20 and 64 million sperm cells are present in every millilitre of eiaculate.

#### Scottish sperm cells

In a large Scottish study 16,000 sperm cell samples were examined. The result was disappointing: According to this

since 1989.



#### Decreasing chances

The large number of studies and analyses carried out indicate that sperm cell quality is worsening throughout the world.

number decreased by almost 30%

It is assumed, that around 40% of the global male population has impaired sperm cells.



Increasing the chances to have children with an intake that is a child's play

## 180 capsules which may change your (family) life

Taking the new fertility pill is as easy as that

When males are diagnosed with "infertility" the magic number is "three".

It takes several months for a sperm modifying the intake scheme. cell to fully develop. Therefore PROfertil<sup>®</sup> should be taken for at least three **Capsules** months and until the start of preg- or granulate

can be selected according to the de- litre water. sired treatment duration.

#### Formula ""once daily two"

packages containing 60 **capsules** as side-effects were reported. before taking this product and before the intake scheme.

As an alternative to capsules, PROfer-In medical terms: This is the "dietary til® is also available as **dissolvable** management of diet-related subfertil- **powder** (granulate) in 1-month's packity in men". From the point of view of ages (30 sachets) or in 3-month's patients, only two decisions need to packages (90 sachets) in your pharbe taken: Size of the package and admacy. The granulate should be taken ministration form. The ideal pack size once a day, diluted and stirred in 0.25

For both, capsules or granulate: the minimum intake period of three months ensures that every phase of PROfertil<sup>®</sup> is available in 1-month's the spermatogenesis is improved. No

well as in 3-month's packages (180 Please consult your doctor before takcapsules). Please consult your doctor ing this product and before modifying

#### **Concentrated powers**

PROfertil® contains particularly substances that are produced by the Coenzyme Q10: may result in an tained in PROfertil® improves sperm motility. cell quality.

the following elements:

**L-Carnitine:** is an important sub- ovum. stance for highly active cells which are used by sperm cells as energy sperm cell motility and number.

the body needs in large quantities. In observed.

body. As confirmed by clinical stud- improvement of the fertilisation rate. ies, the specific concentration and an increase of the sperm cell number tant for sperm cell maturation. combination of the nutrients con- and an improvement of sperm cell

the sperm cell to merge with the cardiovascular system.

substrate. L-Carnitine may improve antioxidant (substance which binds gated and is advised a supporting elfree radicals or hinders the creation ement. of new radicals) and its contribution to L-Arginine: is an amino acid that many biochemical processes, the Glutathione and Selenium: trace element Zinc also improves Two highly effective radical scavthe testosterone level which is impor-studies.

Folic acid: is essential for cell growth, for cell division (blood forma-Every capsule contains a mixture of Vitamin E: may improve sperm cell tion) as well as for nerve metabolism motility and stimulates the ability of and contributes to protection of the

The positive effect of this vitamin on sperm cell quality has long been Zinc: Apart from its function as an known, has been extensively investi-

studies a significant improvement of sperm cell density, the number of fast engers, which considerably improved sperm cell number and motility was moving sperm cells and increases the motility of sperm cells in various

Excerpt from the press conference of 6.06.2006 ......

#### The last option is "in vitro"

Natural conception gets better along with the relationship

after one year of unprotected sexual take actions. should take actions.

activity, it is mainly the male that In practical terms the male partner increases and on the other hand the The time factor plays a vital role when on his female partner with a visit to higher the success rate of in vitro fera couple does not manage to have an urologist. "Unfortunately many tilisation.

men wait far too long before consulting the urologist basically because it is generally assumed that the problem usually lies with the woman" points out University Professor Dr Eu-The time factor plays a vital role when children. If no conception takes place gen Plas, well-known andrologist and a couple does not manage to have after one year of unprotected sexual thus specialist for male fertility. The children. If no conception takes place activity it should mainly be the men to problem is that on the one hand sperm cell quality decreases as age should accompany the examinations lower the age of the woman the

#### Together to fulfill the desire for children

However, in-vitro fertilisation (IVF) is not an easy treatment. Worldwide success rates are currently around 40-50% per every attempt. But from a psychological viewpoint an IVF treatment often means "a roller-coaster of feelings between hope and despair if it is not successful". This is the drastical description by University Professor Dr Heinz Strohmer, of the burden that

may be placed on the relationship. According to his opinion the women bear the heaviest burden since they have to go through hormone therapy and are subject to psychological stress.

Before "inactive" men start to feel unconsciously guilty they should react. And according to Dr Gerti Senger, a renowned specialist for couple counselling, PROfertil® is more than only a

"fertility pill": it is also beneficial for the couple's relationship as it gives the man the feeling to contribute to the desired pregnancy also.

With this, men are also playing an active role and the female partner is no longer the only one bearing the burden. And said among us: the natural conception method is much more entertaining!

